




Professionals and homeowners look to ECHO for all their battery-powered outdoor power equipment solutions. The ECHO eFORCE® 56V Battery System is a single battery platform for all ranges of ECHO battery-powered equipment featuring proprietary technology and manufacturing which delivers performance users have come to expect from ECHO and trusted for over 50 years.

The ECHO eFORCE® platform offers the best in balancing maximum power, light weight, and maximum run time. The combination of these enable the pro and homeowner alike to tackle the toughest jobs, all while offering quiet and simple operation with easy maintenance.



ONE PLATFORM. ALL ECHO.

- eCM Technology® manages heat, charge, and discharging of batteries.
- MAXOUT® technology ensures maximum output for the life of the battery charge (on select units).





DSRM-2100

DEDICATED TRIMMER

The DSRM-2100 straight-shaft string trimmer delivers the quiet, convenience, and performance needed to cut grass down to size in residential areas.

- Hi/Lo speed settings for optimized cutting and battery life.
- Lightweight with cushioned handle grip for greater comfort.
- Variable-speed trigger for ultimate power control.
- Speed-Feed® 400 cutting head

DSRM-2100C1: 2.5Ah battery + standard charger included
 DSRM-2100BT: bare tool only, no battery or charger



Voltage	56V
Battery (Amp hour)	2.5
Weight with Battery (lbs.)	9.75
Run Time* with 2.5Ah (min.)	Up to 56
Charge Time (min.)	75
Cutting Swath (in.)	14 - 16

DSRM-2600

DEDICATED TRIMMER



The DSRM-2600 string trimmer meets the demands of professional workdays. With MAXOUT® technology, it provides maximum power output for the life of the battery charge.

- Increased torque for superior cutting performance.
- Variable speed trigger for ultimate power control.
- Large 17 in. cutting swath clears more area quicker.

DSRM-2600C2: 5.0Ah battery + standard charger included
 DSRM-2600R2: 5.0Ah battery + rapid charger included
 DSRM-2600BT: bare tool only, no battery or charger



Voltage	56V
Battery (Amp hour)	5.0
Weight with Battery (lbs.)	11.8
Run Time* with 5.0Ah (min.)	Up to 54
Charge Time** (min.)	75
Cutting Swath (in.)	17

DSRM-2600U

BRUSHCUTTER



The DSRM-2600U brushcutter pushes productivity to the next level. With a lightweight, ergonomic design and legendary ECHO power, it's ready to tackle long days of long weeds and grasses.

- Increased torque for superior cutting performance.
- Variable speed trigger for ultimate power control.
- Equipped for blade use (blade sold separately).
- MAXOUT® battery technology.

DSRM-2600UC2: 5.0Ah battery + standard charger included
 DSRM-2600UR2: 5.0Ah battery + rapid charger included
 DSRM-2600UBT: bare tool only, no battery or charger



Voltage	56V
Battery (Amp hour)	5.0
Weight with Battery (lbs.)	13.35
Run Time* with 5.0Ah (min.)	Up to 54
Charge Time** (min.)	75
Cutting Swath (in.)	17

* Depending on battery size, charge level, cutting swath, and operating conditions. ** Charge time with rapid charger.


DPAS-2100SB

PRO ATTACHMENT SERIES™ TRIMMER

The attachment-capable DPAS-2100SB comes equipped with a Speed-Feed® 400 trimmer head attachment and can quickly connect to 14 compatible attachments.

- Hi/Lo speed settings for optimized cutting and battery life.
- Lightweight with cushioned handle grip for greater comfort.
- Accepts 14 ECHO PAS attachments for incredible versatility.

DPAS-2100C1: power head only, 2.5Ah battery + standard charger included
 DPAS-2100SBC1: 2.5Ah battery + standard charger included
 DPAS-2100SBBT: bare tool only, no battery or charger



Voltage	56V
Battery (Amp hour)	2.5
Weight with Battery (lbs.)	10.7
Run Time* with 2.5Ah (min.)	Up to 28
Charge Time (min.)	75
Cutting Swath (in.)	14 - 16



DPAS-2600SB

PRO ATTACHMENT SERIES™ TRIMMER



The DPAS-2600SB is attachment-capable with a quick-change, tool-less coupler that accepts all 15 compatible attachments, delivering powerful performance and versatility.

- Increased torque for superior cutting performance.
- Variable speed trigger for ultimate power control.
- MAXOUT® battery technology.

DPAS-2600R2: power head only, 5.0Ah battery + rapid charger included
 DPAS-2600SBC2: 5.0Ah battery + standard charger included
 DPAS-2600SBR2: 5.0Ah battery + rapid charger included
 DPAS-2600BT: power head only, no battery or charger
 DPAS-2600SBBT: bare tool only, no battery or charger



Voltage	56V
Battery (Amp hour)	5.0
Weight with Battery (lbs.)	12.7
Run Time* with 5.0Ah (min.)	Up to 52
Charge Time** (min.)	75
Cutting Swath (in.)	17



ATTACHMENTS & ACCESSORY

PRO ATTACHMENT SERIES™

CURVED SHAFT TRIMMER

- Rapid-Loader® head
- Curved shaft for precise trimming

PART#: 99944200615

SPEED-FEED TRIMMER

- Speed-Feed® 400 head
- 1.62:1 gear ratio

PART#: 99944200540

PRO-TORQUE™ TRIMMER

- 2:1 high-torque gear ratio
- ECHOmatic™ head

PART#: 99944200545

BRUSHCUTTER

- 8 in., 80-tooth brush blade
- 1.62:1 gear ratio

PART#: 99944200601

CURVED SHAFT EDGER

- Pro-Torque™ gear case
- Blade length: 7.75 in.

PART#: 99944200470

STRAIGHT SHAFT EDGER

- Pro-Torque™ gear case
- Blade length: 7.75 in.

PART#: 99944200475

TILLER/CULTIVATOR

- 6.5 in. tilling swath
- 42:1 gear reduction

PART#: 99944200513

STANDARD HEDGE TRIMMER

- 21-in. double-sided blades
- Length: 50.1 in.

PART#: 99944200486

POWER PRUNER®

- 10 in. bar and chain
- Over 8 ft. of total reach

PART#: 99944200532

PRO SWEEP™

- 22.5 in. sweeping swath
- Perfect for all surfaces

PART#: 99944200553



BED REDEFINER

- Replaceable, 6-finger steel claw
- Compatible with DPAS-2600 only

PART#: 99944200465

BLOWER

- Solid drive shaft
- Direct-drive fan

PART#: 99944200490

MID-REACH HEDGE TRIMMER

- 21-in. double-sided blades
- Length: 37.9 in.

PART#: 99944200640

ARTICULATING HEDGE TRIMMER

- 10 blade positions with range of 135-degrees; length: 64.4 in.

PART#: 99944200596

PRO PADDLE™

- 10, 1.625-in. durable rubber fins
- 22.5 in. sweeping swath

PART#: 99944200620

3-FT. EXTENSION ACCESSORY

- Compatible with Power Pruner® and hedge trimmer attachments

PART#: 99944200536

* Depending on battery size, charge level, cutting swath, and operating conditions. ** Charge time with rapid charger.

DPE-2600

POWER EDGER



The DPE-2600 delivers exceptional performance in landscape edging by allowing professionals to comfortably carve through dense dirt and cover more ground during long workdays.

- 3-speed setting and variable speed trigger.
- Contoured aluminum shield to reduce clogging.
- 2:1 gear case to better carve through dense hard dirt.
- Padded front handle grip for comfort.

DPE-2600R1: 5.0Ah battery + rapid charger included
 DPE-2600BT: bare tool only, no battery or charger



Voltage	56V
Battery (Amp hour)	5.0
Weight with Battery (lbs.)	14.1
Run Time* with 5.0Ah (min.)	Up to 86
Charge Time (min.)	75

DPB-2500

HANDHELD BLOWER

The battery-powered blowing force the landscaping world has been waiting for. The DPB-2500 handheld blower can blow 549 CFM at 158 MPH. It's ideal for use in locations that restrict gas-powered blowers.

- Turbo button boosts performance.
- Variable-speed throttle with cruise control.
- Low noise, 65 dB(A) output for noise sensitive environments (per ANSI B175.2-2012).

DPB-2500C1: 2.5Ah battery + standard charger included
 DPB-2500R2: 5.0Ah battery + rapid charger included
 DPB-2500BT: bare tool only, no battery or charger



Voltage	56V
Battery (Amp hour)	2.5 / 5.0
Weight with Battery (lbs.)	7.7 / 9.5
Run Time* with 2.5Ah (min.)	Up to 90 ¹
Run Time* with 5.0Ah (min.)	Up to 180 ¹
Charge** Time (min.)	38 / 75

DPB-5800T

BACKPACK BLOWER

The DPB-5800T brings 795 CFM of air volume and 195 MPH of wind speed, resulting in a mid-range backpack blower tailored perfectly for homeowners and light commercial applications.

- 3 battery ports provide maximum run times.
- Heavy-duty back pad with chest strap for all day comfort.
- LED grip control display provides quick, easy, and accurate indication of remaining battery charge levels.

DPB-5800TD2-2: two 5.0Ah batteries + one dual-port charger included
 DPB-5800TBT: bare tool only, no battery or charger



Voltage	56V
Battery (Amp hour)	5.0
Weight with (2 / 3) Batteries (lbs.)	23.5 / 27.5
Run Time* with (2) 5.0Ah (min.)	Up to 30 ²
Run Time* with (3) 5.0Ah (min.)	Up to 50 ²
Charge Time with 1 / 2 Batteries (min.)	48 / 60



* Depending on battery size, charge level, and operating conditions. ** Charge time with rapid charger. ¹ On low-speed setting. ² On high-speed setting.

DCS-5000

REAR HANDLE CHAINSAW

Convenient, packed with features and power. Capable of 200 cuts on a single charge, the DCS-5000 harnesses the professional-grade power of the ECHO eFORCE® 56V battery system for smooth, easy cuts and all-day performance.

- 18 in. bar and chain.
- Flip-lever oil cap for easy removal.
- Metal bumper spike for greater control.

DCS-5000-18C2: 5.0Ah battery + standard charger included

DCS-5000-18BT: bare tool only, no battery or charger



Voltage	56V
Battery (Amp hour)	5.0
Weight with Battery (lbs.)	14.6
Run Time* w/ 5.0Ah (per charge)	up to 200 cuts
Charge Time (min.)	150
Oil Capacity (fl. oz.)	7.44

DCS-2500T / DCS-2500TN

TOP HANDLE CHAINSAW



A lightweight beast that is perfect for high-climbing professional arborists. The DCS-2500TN uses 80TXL chain which adds up to 16% more cutting efficiency.

- Ultra lightweight for easy, in-tree maneuverability and 12 in. bar and chain.
- Patented harness ring for easy and secure access.
- Adjustable, top-mounted oiler conserves oil.
- MAXOUT® battery technology.

DCS-2500T-12C1: 2.5Ah battery + standard charger included

DCS-2500T-12R1: 2.5Ah battery + rapid charger included

DCS-2500T-12BT: bare tool only, no battery or charger

DCS-2500TN-12R1: 2.5Ah battery + rapid charger included

DCS-2500TN-12BT: bare tool only, no battery or charger



Voltage	56V
Battery (Amp hour)	2.5
Weight with Battery (lbs.)	7.3
Run Time* w/ 2.5Ah (per charge)	up to 60 cuts
Charge Time** (min.)	75
Oil Capacity (fl. oz.)	4.1

DPPF-2100

FIXED SHAFT POWER PRUNER®

The DPPF-2100 delivers exceptional performance in pruning branches in hard-to-reach places from the ground.

- 10 in. bar and chain.
- 96-inch length for pruning branches in hard-to-reach places.
- Side-access chain tensioner for easy chain adjustments.
- Automatic, adjustable oiler helps maintain bar and chain life.

DPPF-2100C1: 2.5Ah battery + standard charger included

DPPF-2100BT: bare tool only, no battery or charger



Voltage	56V
Battery (Amp hour)	2.5
Weight with Battery (lbs.)	12.7
Run Time* w/ 2.5Ah (per charge)	up to 100 cuts
Charge Time (min.)	75

DPPT-2600H

TELESCOPING SHAFT POWER PRUNER®



The DPPT-2600H is built to tackle the toughest, hard-to-reach branches from the ground. With incredible power and acceleration, the cutting performance is on par with ECHO's gas-powered PPT-2620.

- 10 in. bar and chain.
- Telescopes up to more than 12-feet for extended reach from the ground.
- Automatic, adjustable oiler helps maintain bar and chain life.
- MAXOUT® battery technology.

DPPT-2600HR2: 5.0Ah battery + rapid charger included

DPPT-2600HBT: bare tool only, no battery or charger



Voltage	56V
Battery (Amp hour)	5.0
Weight with Battery (lbs.)	18.1
Run Time* w/ 5.0Ah (per charge)	up to 200 cuts
Charge Time** (min.)	75

* Depending on battery size, charge level, and operating conditions. ** Charge time with rapid charger.

DHC-2300

DOUBLE-SIDED HEDGE TRIMMER

The quiet, lightweight DHC-2300 hedge trimmer makes precision cuts with a lightning-fast 53 strokes per second, trimming time and effort off the workday.

- 22 in. double-sided blades for best productivity.
- 1.1 in. cutting capacity for heavy use.
- 53 blade strokes per second for ultra fast cuts.

DHC-2300C1: 2.5Ah battery + standard charger included
DHC-2300BT: bare tool only, no battery or charger



Voltage	56V
Battery (Amp hour)	2.5
Weight with Battery (lbs.)	9.15
Run Time* with 2.5Ah (min.)	Up to 88
Charge Time (min.)	75
Blade Length (in.)	22

DHC-2200 / DHC-2800

DOUBLE-SIDED HEDGE TRIMMER



The DHC-2200 and DHC-2800 double-sided hedge trimmers are engineered to meet the demands of commercial landscapers, while remaining light enough to tackle a wide array of cutting applications.

- Low noise for working in noise-sensitive areas.
- 5-position, 180-degree rotating handle meets the needs of all cutting conditions.
- MAXOUT® battery technology.

DHC-2200R1: 2.5Ah battery + rapid charger included
DHC-2200BT: bare tool only, no battery or charger
DHC-2800R1: 2.5Ah battery + rapid charger included
DHC-2800BT: bare tool only, no battery or charger



Voltage	56V
Battery (Amp hour)	2.5
Weight with Battery (lbs.)	8.6 / 9.1
Run Time* with 2.5Ah (min.)	Up to 60
Charge Time** (min.)	38
Blade Length (in.)	22 / 28

DHCS-2800 / DHCS-3400

SINGLE-SIDED HEDGE TRIMMER



The DHCS-2800 and DHCS-3400 Hedge Trimmers are built to meet the needs of commercial landscapers by combining commercial-grade construction and a high-efficiency motor with a lightweight build.

- Full-length debris shield sweeps away cut material for reduced cleanup time.
- Single-sided, double-reciprocating blades for fast, clean cuts.
- MAXOUT® battery technology.

DHCS-2800R1: 2.5Ah battery + rapid charger included
DHCS-2800BT: bare tool only, no battery or charger
DHCS-3400R1: 2.5Ah battery + rapid charger included
DHCS-3400BT: bare tool only, no battery or charger



Voltage	56V
Battery (Amp hour)	2.5
Weight with Battery (lbs.)	8.6 / 9.0
Run Time* with 2.5Ah (min.)	Up to 60
Charge Time** (min.)	38
Blade Length (in.)	28 / 34

DCP-BVRVS1B

TRIMMER & BLOWER COMBO KIT

56V battery-powered combo kit featuring DSRM-2100 and DPB-2500.

- 16 in. trimmer with #1 professional trimmer head — the Speed-Feed® 400.
- Blower delivers 158 MPH, 549 CFM, and up to 17 N.
- One 2.5Ah battery and standard charger included.



DLM-2100

PUSH LAWN MOWER

3-in-1 lawn mower delivers perfect cuts for lawns up to 1/3 acres.

- Large 21 in. heavy-duty steel deck cuts more area faster.
- 3-in-1 discharge for mulching, bagging, or side discharge (sold separately).
- Auto switch battery for less downtime.



Voltage	56V
Battery (Amp hour)	5.0
Run Time* w/ 5.0Ah (min.)	Up to 70
Charge Time (min.)	150
Cutting Width (in.)	21
Cutting Height (in.)	1 - 4

DLM-2100C2: 5.0Ah battery + standard charger included

DLM-2100BT: bare tool only, no battery or charger

DLM-2100SP

SELF-PROPELLED LAWN MOWER

A self-propelled mower that delivers hassle-free mowing. With an auto-switch dual-battery dock, three quick-switch clippings discharge settings, and a large 21 in. cutting deck, it makes cuts without compromise.

- Large 21 in. heavy-duty steel deck cuts more area faster.
- 3-in-1 discharge for mulching, bagging, or side discharge.
- Auto switch battery for less downtime.



Voltage	56V
Battery (Amp hour)	5.0
Run Time* w/ 5.0Ah (min.)	Up to 70
Charge Time (min.)	150
Cutting Width (in.)	21
Cutting Height (in.)	1 - 4

DLM-2100SPC2: 5.0Ah battery + standard charger included

DLM-2100SPBT: bare tool only, no battery or charger



BATTERIES / CHARGERS

ONE PLATFORM. ALL ECHO.



The ECHO eFORCE® Battery System is a powerful option for professional landscapers and homeowners who demand versatility and options in power sources across their fleet of outdoor power equipment.

It's simple! One battery platform for all ranges of products. The 2.5Ah or 5.0Ah batteries deliver 56V of dependable, long-lasting power and quickly swap from product to product.

56V 2.5Ah BATTERY LBP-56V125



- Compact lithium-ion battery
- On-board charge level indicator
- eCM Technology® provides heat, charge, and discharge management
- 75 min. charge time w/ standard charger
- 38 min. charge time w/ rapid chargers
- 2.25 lbs.

56V 5.0Ah BATTERY LBP-56V250



- High-capacity lithium-ion battery
- On-board charge level indicator
- eCM Technology® provides heat, charge, and discharge management
- 150 min. charge time w/ standard charger
- 75 min. charge time w/ rapid chargers
- 4.05 lbs.

56V STANDARD CHARGER LC-56V2A



- On-board LED diagnostics
- Optional wall mount
- 6 ft. cord length for convenient charging.

56V RAPID CHARGER LC-56V4A



- 2X faster than standard charger
- On-board LED diagnostics
- Optional wall mount
- 6 ft. cord length for convenient charging.

56V DUAL-PORT RAPID CHARGER LC-56V5A2



- Simultaneous rapid charging of (2) 56V batteries.
- Ultra-rapid charging of (1) battery when using a single port. (Not applicable to 2.5Ah battery.)
- Ability to charge mobile devices through built-in USB-A and USB-C ports.
- 6 ft. cord length for convenient charging.

* Depending on battery size, charge level, and operating conditions.



POWER ON. AND ON.

Specifications, descriptions, and illustrative material in this literature are as accurate as known at the time of publication, but are subject to change without notice. Illustrations may include optional equipment and accessories and may not include all standard equipment.

Outdoor Equipment Distributors, Inc., a wholesale distributor of ECHO Incorporated products in North Carolina, South Carolina, Eastern Tennessee, Virginia, and West Virginia. All rights reserved.
MKTEF240001