ECHO®
BATTERY SYSTEM™

The ECHO 56V Battery System™ balances maximum power, lightweight design, and extended runtime across a full suite of tools, so you can take on tough jobs with ease and flexibility.

PRODUCT CATALOG

ECHO BATTERY SYSTEM™

5 YEAR CONSUMER | 2 YEAR COMMERCIAL WARRANTY

PRO-GRADE BATTERY POWER. ONE PLATFORM. UNLIMITED POSSIBILITIES.

The ECHO 56V Battery System™ delivers the power professionals demand with the convenience today's users expect. Built with proprietary technology and high-quality components, it outperforms the competition in durability, run time, and performance.

Every tool in the line-up runs on the same 56V platform — giving you seamless compatibility, less downtime, and the confidence to tackle any task with one battery system.

eCM Technology®
ECHO's proprietary battery management system regulates temperature, charging, and discharging to maximize performance and extend battery life.



* select units

MAXOUT® Technology
Exclusive to ECHO X Series 56V tools, MAXOUT® Technology delivers constant, full power from start to finish — no drop off, no compromise. While others fade as the battery drains, MAXOUT® keeps performance at it peak, just like gas. 100% power, 100% of the time.

DLM-2100

Push Mower

Ideal for yards up to 1/3 acre, the DLM-2100 Push Mower delivers hassle-free mowing with legendary ECHO power.

- Auto-switch dual-battery system for less downtime.
- Large 21 in. heavy-duty steel deck
- 3-in-1 discharge system for customized lawn care with mulching, bagging, or side discharge
- Easy fold handles for quick, compact storage

DLM-2100R2-2: [2] 5.0Ah batteries + rapid charger

Battery	5.0 Amp hour
Avg. Run Time* w/ [1] 5.0Ah	Up to 70 min.
Avg. Run Time* w/ [2] 5.0Ah	Up to 140 min.
Cutting Width	21 in.
Cutting Height	1 - 4 in.

DLM-2100SP

Self-Propelled Mower

The DLM-2100SP Self-Propelled Mower provides effortless and efficient mowing. With an auto-switch dual-battery dock, three quick-switch clippings discharge settings, and a large 21 in. cutting swath, it makes cuts without compromise.

- Auto-switch dual-battery system for less downtime.
- Self-propelled drive reduces push effort for easier mowing
- 3-in-1 discharge system for customized lawn care with mulching, bagging, or side discharge
- Easy fold handles for quick, compact storage

DLM-2100SPR2-2: [2] 5.0Ah batteries + rapid charger

Battery	5.0 Amp hour
Avg. Run Time* w/ [1] 5.0Ah	Up to 70 min.
Avg. Run Time* w/ [2] 5.0Ah	Up to 140 min.
Cutting Width	21 in.
Cutting Height	1 - 4 in.

*Depending on battery size, charge level, and operating conditions.

DSRM-2100

String Trimmer

The DSRM-2100 Straight-Shaft Trimmer offers quiet operation, convenience, and performance, making it ideal for cutting grass in residential areas.

- Speed-Feed® 400 trimmer head reloads in seconds without disassembly
- 2 speed settings provide adjustable power for every task
- Lightweight build for easy maneuverability
- Cushion grip front handle for added comfort and control

DSRM-2100C1: with 2.5Ah battery + standard charger

Battery	2.5 Amp hour
Weight with Battery	9.75 lbs.
Avg. Run Time* w/ 2.5Ah	Up to 28 min.
Cutting Head	Speed-Feed® 400
Cutting Swath	14 - 16 in.

DSRM-225

String Trimmer

The DSRM-225 offers gas-like power and precise control with its top-mounted motor and durable carbon fiber shaft.

- Speed-Feed® 400 trimmer head reloads in seconds without disassembly
- Carbon fiber shaft for lightweight durability
- Easy-view LED grip display to monitor battery level and speed
- Cushion grip front handle for added comfort and control

DSRM-225R2: with 5.0Ah battery + rapid charger

Battery	5.0 Amp hour
Weight with Battery	12.65 lbs.
Avg. Run Time* w/ 5.0Ah	Up to 50 min.
Cutting Head	Speed-Feed® 400
Cutting Swath	14 - 16 in.

DSRM-2600

String Trimmer

The DSRM-2600 Straight-Shaft Trimmer is built for professionals, offering consistent power with MAXOUT® Technology that ensures maximum output for the life of the battery charge.

- MAXOUT® Technology delivers maximum output
- 3 speed settings provide adjustable power for every task
- Increased torque for more cutting power on tough weeds

DSRM-2600R2: with 5.0Ah battery + rapid charger

Battery	5.0 Amp hour
Weight with Battery	11.8 lbs.
Avg. Run Time* w/ 5.0Ah	Up to 54 min.
Cutting Head	Speed-Feed® 400
Cutting Swath	17 in.

DSRM-2600U

Brushcutter

The DSRM-2600U Brushcutter boosts productivity with its lightweight, ergonomic design and ECHO's trusted power, perfect for tackling tall weeds and grasses.

- MAXOUT® Technology delivers maximum output
- 3 speed settings provide adjustable power for every task
- Increased torque for more cutting power on tough weeds

DSRM-2600UR2: with 5.0Ah battery + rapid charger

Battery	5.0 Amp hour
Weight with Battery	13.35 lbs.
Avg. Run Time* w/ 5.0Ah	Up to 54 min.
Cutting Head	Speed-Feed® 400
Cutting Swath	17 in.

DPE-2100

Power Edger

The DPE-2100 Curved-Shaft Edger creates sharp edges with ease. Featuring a molded shield and up to 40 minutes of runtime for efficient, precise landscaping.

- Powerful brushless motor delivers gas-like performance
- 2 speed settings provide adjustable power for every task
- Replaceable steel wear plate extends gear case life
- Durable nylon shield reduces material kickback

DPE-2100X1: with 2.5Ah battery + top-mount charger

Battery	2.5 Amp hour
Weight with Battery	11.9 lbs.
Avg. Run Time* w/ 2.5Ah	Up to 40 min.
Blade Length	7.75 in.

DPE-2600

Power Edger

The DPE-2600 Curved-Shaft Edger combines power and lightweight design, cutting through dense dirt with ease. MAXOUT® Technology delivers consistent power for a professional finish.

- MAXOUT® Technology delivers maximum output
- 2:1 high-torque gear ratio for extra power on dense grass and brush
- 3 speed settings provide adjustable power for every task
- Cushion grip front handle for added comfort and control

DPE-2600R2: with 5.0Ah battery + rapid charger

Battery	5.0 Amp hour
Weight with Battery	14.1 lbs.
Avg. Run Time* w/ 5.0Ah	Up to 86 min.
Blade Length	7.75 in.

*Depending on battery size, charge level, cutting swath, and operating conditions.

DPAS-225 / DPAS-225SB

Pro Attachment Series™

The DPAS-225 is the perfect all-in-one solution for homeowners. One power head accepts up to 15 attachments and adds versatility while reducing the need for multiple dedicated tools.

The DPAS-225SB comes equipped with the Speed-Feed® 400 trimmer attachment and is compatible with up to 14 additional attachments.

- LED grip display provides at-a-glance view of speed setting and battery charge status
- Adjustable angle front handle with rubber overmold for optimized balance and easy operation

DPAS-225R2: with 5.0Ah battery + rapid charger (power head only)
DPAS-225SBR2: with 5.0Ah battery + rapid charger

Battery	5.0 Amp hour
Weight with Battery	10.5 / 13.5 lbs.
Avg. Run Time* w/ 5.0Ah	Up to 51 min.

DPAS-2600 / DPAS-2600SB

Pro Attachment Series™

The DPAS-2600 power head features a tool-less, quick-change coupler for fast swaps between up to 15 attachments, offering performance and versatility.

The DPAS-2600SB comes equipped with the Speed-Feed® 400 trimmer attachment and is compatible with up to 14 additional attachments.

- MAXOUT® Technology delivers maximum output
- Increased torque for superior cutting performance
- Variable-speed trigger for ultimate power control

DPAS-2600R2: with 5.0Ah battery + rapid charger (power head only)
DPAS-2600SBR2: with 5.0Ah battery + rapid charger

Battery	5.0 Amp hour
Weight with Battery	9.7 / 12.7 lbs.
Avg. Run Time* w/ 5.0Ah	Up to 52 min.

*Depending on battery size, charge level, attachment used, cutting swath, and operating conditions.

15 WAYS TO ACHIEVE GREATNESS

Multiply your outdoor power equipment solutions with the Pro Attachment Series™. The 15 different attachments add versatility to your equipment and expand what you can accomplish with your ECHO 56V Battery System™.

ATTACHMENTS & ACCESSORY

Pro Attachment Series™

CURVED SHAFT TRIMMER
- Rapid-Loader® head
- Curved shaft for precise trimming

#99944200615

SPEED-FEED® TRIMMER
- Speed-Feed® 400 head
- 1.62:1 gear ratio

#99944200540

PRO-TORQUE™ TRIMMER
- 2:1 high-torque gear ratio
- ECHOmatic™ head

#99944200545

BRUSHCUTTER
- 8 in., 80-tooth brush blade
- 1.62:1 gear ratio

#99944200601

CURVED SHAFT EDGER
- Pro-Torque™ gear case
- Blade length: 7.75 in.

#99944200470

STRAIGHT SHAFT EDGER
- Pro-Torque™ gear case
- Blade length: 7.75 in.

#99944200475

BED REDEFINER
- Replaceable, 6-finger steel claw
- Adjustable support wheel

#99944200465

BLOWER
- Solid drive shaft
- Direct-drive fan

#99944200490

TILLER/CULTIVATOR
- 6.5 in. tilling swath
- 42:1 gear reduction

#99944200513

STANDARD HEDGE TRIMMER
- 21-in. double-sided blades
- Length: 50.1 in.

#99944200486

SHORT-REACH HEDGE TRIMMER
- 21-in. double-sided blades
- Length: 37.9 in.

#99944200640

ARTICULATING HEDGE TRIMMER
- 10 blade positions with range of 135-degrees; length: 64.4 in.

#99944200596

POWER PRUNER®
- 10 in. bar and chain
- Over 8 ft. of total reach

#99944200532

PRO SWEEP™
- 22.5 in. sweeping swath
- Perfect for all surfaces

#99944200553

PRO PADDLE™
- 10, 1.625 in. durable rubber fins
- 22.5 in. sweeping swath

#99944200620

3-FT. EXTENSION ACCESSORY
- Compatible with Power Pruner® and all hedge trimmer attachments

#99944200536

DHC-2300

Hedge Trimmer

The DHC-2300 Hedge Trimmer delivers 53 strokes per second for fast, precise, and effortless trimming.

- 22 in. double-sided, double-reciprocating RazorEdge® blades for more productivity
- 3,200 blade strokes per minute for ultra fast cuts
- 1.1 in. cutting capacity for heavy use.

DHC-2300C1: with 2.5Ah battery + standard charger

Battery	2.5 Amp hour
Weight with Battery	9.15 lbs.
Avg. Run Time* w/ 2.5Ah	Up to 88 min.
Blade Length	22 in.

DHC-2200 / DHC-2800

Hedge Trimmer

The DHC-2200 and DHC-2800 Hedge Trimmers offer commercial-grade power and durability in a lightweight design.

- MAXOUT® Technology delivers maximum output
- Double-sided, double-reciprocating RazorEdge® blades
- 5-position, 180-degree rotating handle for increased maneuverability
- 4,600 blade strokes per minute for ultra fast cuts

DHC-2200R1: with 2.5Ah battery + rapid charger
DHC-2800R1: with 2.5Ah battery + rapid charger

Battery	2.5 Amp hour
Weight with Battery	8.6 / 9.08 lbs.
Avg. Run Time* w/ 2.5Ah	Up to 60 min.
Blade Length	22 / 28 in.

DHCS-2800 / DHCS-3400

Hedge Trimmer

The DHCS-2800 and DHCS-3400 Hedge Trimmers are durable yet lightweight, with a high-efficiency motor and debris sweeper for precise trimming and easy cleanup.

- MAXOUT® Technology delivers maximum output
- Single-sided, double-reciprocating RazorEdge® blades
- 4,600 blade strokes per minute for ultra fast cuts
- Full-length debris sweeper for reduced cleanup time

DHCS-2800R1: with 2.5Ah battery + rapid charger
DHCS-3400R1: with 2.5Ah battery + rapid charger

Battery	2.5 Amp hour
Weight with Battery	8.5 / 9.0 lbs.
Avg. Run Time* w/ 2.5Ah	Up to 60 min.
Blade Length	28 / 34 in.

DSHC-2600 / DSHC-2600S

Shafted Hedge Trimmer

Built for pros, the DSHC-2600 Shafted Hedge Trimmer features MAXOUT® Technology for consistent power. The 21 in. RazorEdge® blades and 7° angle offer precise cuts, while the flanged front-grip and top-mounted motor provide gas-like performance.

- MAXOUT® Technology delivers maximum output
- 21 in. RazorEdge® blades cut faster with double-side, double-reciprocating action
- 3 speed settings provide adjustable power for every task

DSHC-2600R2: with 5.0Ah battery + rapid charger
DSHC-2600SR2: with 5.0Ah battery + rapid charger

Battery	5.0 Amp hour
Weight with Battery	12.9 / 12.4 lbs.
Avg. Run Time* w/ 5.0Ah	Up to 80 min.
Blade Length	21 in.
Shaft Length	51 / 42 in.

DHCA-2600

Articulating Hedge Trimmer

The DHCA-2600 X Series Articulating Hedge Trimmer combines durable construction and a high-efficiency motor for precise cuts and easy maneuverability.

- MAXOUT® Technology delivers maximum output
- Double-sided, double-reciprocating RazorEdge® blades
- 4,000 blade strokes per minute for ultra fast cuts
- Allows 10 blade adjustments with a total range of 135 degrees

DHCA-2600R2: with 5.0Ah battery + rapid charger

Battery	5.0 Amp hour
Weight with Battery	14.2 lbs.
Avg. Run Time* w/ 5.0Ah	Up to 79 min.
Blade Length	21 in.
Shaft Length	59 in.

DCP-BVRVS1B

Combo Kit

56V battery-powered combo kit featuring the DSRM-2100 String Trimmer and DPB-2500 Handheld Blower.

- 16 in. trimmer with Speed-Feed® 400 cutting head
- Blower with 2.5Ah battery delivers 526 CFM and 151 MPH performance
- 2.5Ah battery and standard charger included

Battery	2.5 Amp hour
Cutting Swath	16 in.
Blowing Force	15 N
Max. Air Speed	151 mph
Air Volume	526 CFM

*Depending on battery size, charge level, cutting swath, and operating conditions.

DPB-2500

Handheld Blower

Battery-powered blower delivers 549 CFM at 158 MPH for pro-grade performance where gas is restricted.

- Turbo button boosts performance
- Variable-speed throttle with cruise control for efficiency and precision
- Dual air intakes allow left- or right-handed use
- Optional shoulder strap available (#99944100030)

DPB-2500C1: with 2.5Ah battery + standard charger
DPB-2500R2: with 5.0Ah battery + rapid charger

Battery	2.5 / 5.0 Amp hour
Weight with Battery	7.7 / 9.5 lbs.
Avg. Run Time* w/ 2.5Ah	9[2]/15[3]/90[1] min.
Avg. Run Time* w/ 5.0Ah	18[2]/30[3]/180[1] min.
Blowing Force [2.5Ah / 5.0Ah]	15 / 17 N
Max. Air Speed[2]	158 mph
Air Volume[2]	549 CFM

DPB-2610

Handheld Blower

Lightweight, durable blower with turbo boost, dual intakes, and cruise control.

- MAXOUT® Technology delivers maximum output
- Variable-speed throttle with cruise control for efficiency and precision
- Metal wear ring protects blower tube from abrasion
- Optional shoulder strap available (#99944100030)

DPB-2610R2: with 5.0Ah battery + rapid charger

Battery	5.0 Amp hour
Weight with Battery	9.5 lbs.
Avg. Run Time* w/ 5.0Ah	20[3] min.
Blowing Force	17 N
Max. Air Speed[2]	158 mph
Air Volume[2]	549 CFM

DPB-5800T

Backpack Blower

Delivering up to 795 CFM and 195 MPH, the DPB-5800T Backpack Blower is perfect for homeowners and light commercial use. With three battery ports, it offers versatile, high-performance cleanup.

- Three battery ports for extended run time and flexible power options
- Variable-speed throttle with cruise control for efficiency and precision
- LED grip display for clear, accurate battery status

DPB-5800TD2-2: with two 5.0Ah batteries + one dual port charger

Battery	[2] 5.0 Amp hour
Weight with [2/3] Batteries	23.5 / 27.5 lbs.
Avg. Run Time* w/ [2] 5.0Ah	35 / 20[2] min.
Avg. Run Time* w/ [3] 5.0Ah	50 / 26[2] min.
Blowing Force	25[2] N
Max. Air Speed[2]	195[4] mph
Air Volume[2] w/ [2] 5.0Ah	795[5] CFM

DPB-5900T

Backpack Blower

The DPB-5900T delivers 795 CFM airflow with a durable design and extended runtime for tough jobs.

- MAXOUT® Technology delivers maximum output
- Three battery ports for extended run time and flexible power options
- Variable-speed throttle with cruise control for efficiency and precision
- LED grip display for clear, accurate battery status

DPB-5900TM2H-3: with three 8.0Ah batteries + two dual port chargers

Battery	[3] 8.0 Amp hour
Weight with [3] Batteries	32.2 lbs.
Avg. Run Time* w/ [3] 8.0Ah	55 / 40[2] min.
Blowing Force	25[2] N
Max. Air Speed[2]	195[4] mph
Air Volume[2]	795[5] CFM

DPB-7700T

Backpack Blower

The DPB-7700T delivers 816 CFM with MAXOUT® Technology, 3 battery ports, and pro-grade durability.

- Three battery ports for extended run time and flexible power options
- MAXOUT® Technology delivers maximum output
- Variable-speed throttle with cruise control for efficiency and precision
- LED grip display for clear, accurate battery status

DPB-7700TM2H-3: with three 8.0Ah batteries + two dual port chargers

Battery	[3] 8.0 Amp hour
Weight with [3] Batteries	37.4 lbs.
Avg. Run Time* w/ [3] 8.0Ah	50 / 24[3] min.
Blowing Force	36[3] N
Max. Air Speed[4]	220[3] mph
Air Volume[5]	950[3] CFM

*Depending on battery size, charge level, and operating conditions. [1]On low-speed setting. [2]On turbo mode. [3]On high-speed setting. [4]With concentrator nozzle. [5]Without concentrator nozzle.

DCS-5000

Rear Handle Chainsaw

Convenient and feature-packed, with the power to get the job done. Capable of 200 cuts* on a single charge, the DCS-5000 harnesses the professional-grade power of the ECHO Battery System™ for smooth, easy cuts and all-day performance.

- Powerful brushless motor delivers gas-like performance
- Flip-lever oil cap for quick and easy refills
- Side-access chain tensioner for easy chain adjustments
- Metal bumper spike improves control and leverage

DCS-5000-18C2: with 5.0Ah battery + standard charger

Battery	5.0 Amp hour
Weight with Battery	14.6 lbs.
Avg. Run Time* w/ 5.0Ah	up to 200 cuts
Bar Length	18 in.
Oil Capacity	7.44 fl.oz.

DCS-2500T / DCS-2500TN

Top Handle Chainsaw

A compact, lightweight powerhouse perfect for high-climbing professionals.

The DCS-2500TN uses 80TXL chain which adds up to 16% more cutting efficiency.

- MAXOUT® Technology for maximum performance
- Ultra lightweight for easy maneuverability
- Clutch-driven adjustable oiler adapts to cutting conditions

DCS-2500T-12C1: with 2.5Ah battery + standard charger
DCS-2500T-12R1: with 2.5Ah battery + rapid charger
DCS-2500TN-12R1: with 2.5Ah battery + rapid charger

Battery	2.5 Amp hour
Weight with Battery	7.3 lbs.
Avg. Run Time* w/ 2.5Ah	up to 60 / 70 cuts
Bar Length	12 in.
Oil Capacity	4.1 fl.oz.

DHS-3006

Handheld Pruning Saw

The DHS-3006 Handheld Pruning Saw delivers exceptional performance for pruning and small limbing tasks. The 6 in. 80TXL cutting system ensures clean and accurate results cut after cut.

- Powerful brushless motor delivers gas-like performance
- Built-in chain oil tank with automatic oiler extends bar and chain life
- Tool-less chain tensioner for easy chain adjustments.

DHS-3006X1: with 2.5Ah battery + top-mount charger

Battery	2.5 Amp hour
Weight with Battery	5.3 lbs.
Avg. Run Time* w/ 2.5Ah	up to 120 cuts
Bar Length	6 in.

DPPF-2100

Fixed Shaft Power Pruner®

The DPPF-2100 delivers exceptional performance for pruning branches in hard-to-reach places from the ground. This efficient, smooth cutting Power Pruner® is perfect for the homeowner.

- Powerful brushless motor delivers gas-like performance
- Automatic, adjustable oiler extends bar and chain life
- Side-access chain tensioner for easy chain adjustments

DPPF-2100C1: with 2.5Ah battery + standard charger

Battery	2.5 Amp hour
Weight with Battery	12.9 lbs.
Avg. Run Time* w/ 2.5Ah	up to 100 cuts
Bar Length	10 in.
Overall Length	96 in.

DPPT-2600H

Telescoping Shaft Power Pruner®

The DPPT-2600H Power Pruner® offers top-tier pruning with a telescopic shaft and MAXOUT® Technology, ensuring maximum power throughout the battery charge.

- MAXOUT® Technology delivers maximum output
- Automatic, adjustable oiler extends bar and chain life
- Side-access chain tensioner for easy chain adjustments

DPPT-2600HR2: with 5.0Ah battery + rapid charger

Battery	5.0 Amp hour
Weight with Battery	16.4 lbs.
Avg. Run Time* w/ 5.0Ah	up to 200 cuts
Bar Length	10 in.
Overall Length	107 - 146 in.

*In 4 in. by 4 in. timber, depending on battery size, charge level, and operating conditions.

BATTERIES / CHARGERS

One Platform. All ECHO.

2 YEAR CONSUMER | 2 YEAR COMMERCIAL WARRANTY

The 56V ECHO Battery System™ features high-capacity lithium-ion batteries with built-in charge indicators for quick, at-a-glance status checks. Available in three sizes, each battery includes exclusive eCM Technology® to manage heat, charge, and discharge for longer life and consistent performance. All batteries work with all 56V chargers, delivering unmatched versatility and convenience.

CHARGE TIMES (min.)

BATTERY	LC-56V4A6	LC-56V5A2	LC-56V4A	LC-56V2A	LC-56V1A
2.5Ah - LBP-56V125	38	38	38	75	150
5.0Ah - LBP-56V250	48 - 75	48 - 75	75	150	300
8.0Ah - LBP-56V400	60 - 120	60 - 100	120	225	480

6-Port Rapid Field Charger
LC-56V4A6

- Simultaneously charge up to 6 ECHO 56V batteries
- On-board LED diagnostics to monitor charge status
- Locking lid keeps batteries safe and secure
- Heavy-duty wheels and a folding handle for easy portability
- Optional trailer/wall mount for added security (sold separately)

56V 2.5Ah Battery
LBP-56V125

- 2.25 lbs.; 126 watt-hours

56V Dual-Port Rapid Charger
LC-56V5A2

- Simultaneously rapid charge two batteries
- Ultra-rapid charging when used with just one battery
- On-board LED diagnostics
- One USB-A and one USB-C port
- 6 ft. cord length for convenient charging
- Optional wall mount (sold separately)

56V Rapid Charger
LC-56V4A

- 2X faster than standard charger
- On-board LED diagnostics
- 6 ft. cord length for convenient charging
- Optional wall mount (sold separately)

56V 5.0Ah Battery
LBP-56V250

- 4.05 lbs.; 252 watt-hours

56V 8.0Ah Battery
LBP-56V400

- 5.6 lbs.; 402 watt-hours

56V Standard Charger
LC-56V2A

- On-board LED diagnostics.
- 6 ft. cord length for convenient charging
- Optional wall mount (sold separately)

56V Top Mount Charger
LC-56V1A

- On-board LED diagnostics.
- 6 ft. cord length for convenient charging.

ECHO BATTERY SYSTEM™

Specifications, descriptions, and illustrative material in this literature are as accurate as known at the time of publication, but are subject to change without notice. Illustrations may include optional equipment. 2026 ECHO Incorporated, a subsidiary of Yamabiko Corporation. All rights reserved. #MKT56VLITERATURE