

# Walker Decks: Mulching and Collection

## Mulching Decks and Mulching Kits



See more details about mulching decks: [walker.com/decks#mulching](http://walker.com/decks#mulching)

## Mulching Decks and Mulching Kits

Mulching decks and kits are designed to efficiently re-cut material to fine particles and return them to the turf, leaving a beautiful cut.

Each Walker deck is uniquely configured to meet a very specific performance need. Whether the most important consideration in looking for the perfect deck is cutting width, handling grass clippings, material capacity or grass type, there is a Walker deck that will meet the specific maintenance need.

### M36

- 36" (91 cm)
- Gear Drive
- Compatible with Models S, C19, C19i, T, D, and B

### M42

- 42" (107 cm)
- Gear Drive
- Compatible with Models S, C, T, D, and B

### M42B

- 42" (107 cm)
- Gear Drive
- Compatible with Models S, C, T, D, and B

### S42-R Mulch Kit

- Mulch Kit for S42-R
- P/N 1692-19

- Compatible with Model R only

### M48

- 48" (122 cm)
- Gear Drive
- Compatible with Models S, C, T, D, B, and H\*

### S48-R Mulch Kit

- Mulch Kit for S48-R
- P/N 1692-20
- Compatible with Model R only

### M52

- 52" (132 cm)
- Gear Drive
- Compatible with Models T, D, B and H\*

### S52 Mulch Kit

- Mulch Kit for S52
- P/N 8691-25
- Compatible with Models C, T, D, B, and H\*

### S60 Mulch Kit

- Mulch Kit for S60
- P/N 2692-2
- Compatible with Models C, T, D, B, H\*

### S61 Mulch Kit

- Mulch Kit for S61
- P/N 2692-1
- Compatible with Model H only

\*Model H requires a Deck Arm Adapter Kit P/N 2430-10 for this deck.

## Collection Decks

**Standard Rotation:**  
Good for thick, wet, or heavy  
clippings and debris



**Reverse Rotation:**  
Exceptional cut quality when  
clippings are light and dry



See how GHS works  
[walker.com/grass-handling-system](http://walker.com/grass-handling-system)



More about collection decks:  
[walker.com/decks#collection](http://walker.com/decks#collection)



## Collection Decks

Collection decks are compatible with the Walker Grass Handling System® (GHS) Models S, C, T, and D. Clippings are discharged from the deck through the internal blower and discharge chute and are stored in the GHS catcher box.

**Standard vs Reverse Rotation**  
**Standard Rotation Blades** come together at the front of the deck, moving material directly into the rear discharge chute. Standard rotation decks

are ideal for users who need to collect thick, heavy clippings, including leaves and other yard debris.

### Reverse Rotation Blades

come together at the rear of the deck, moving material around the edges of the deck before it is channeled into the discharge chute. Reverse rotation decks are ideal for users looking for exceptional cut quality in mowing conditions without wet, heavy clippings or debris.

### C36R

- 36" (91 cm)
- Reverse Rotation
- Compatible with Models S, C19, C19i, T, and D

### C42

- 42" (107 cm)
- Standard Rotation
- Compatible with Models S, C, T, and D

### C42R

- 42" (107 cm)
- Reverse Rotation
- Compatible with Models S, C, T, and D

### C48

- 48" (122 cm)
- Standard Rotation
- Compatible with Models C, T, and D

### C48R

- 48" (122 cm)
- Reverse Rotation
- Compatible with Models S18, C, T, and D

### C52R

- 52" (132 cm)
- Reverse Rotation
- Compatible with Models C19i, T, and D

# Walker Decks: Side and Rear Discharge



## Side Discharge Decks

Sizes range from  
36" (91 cm) to 74" (188 cm)



See more:  
[walker.com/  
decks#discharge](http://walker.com/decks#discharge)

## Side Discharge Decks

Side discharge decks  
cleanly and evenly  
discharge cut grass from  
under the deck housing to  
the right of the operator.

### S36

- 36" (91 cm)
- Gear Drive
- Compatible with Models S, C19, C19i, T, D, and B

### S42

- 42" (107 cm)
- Gear Drive
- Compatible with Models S, C, T, D, and B

### S42-R

- 42" (107 cm)
- Belt Drive
- Compatible with Model R only

### S48-R

- 48" (122 cm)
- Belt Drive
- Compatible with Model R only

### S48

- 48" (122 cm)
- Gear Drive or Belt Drive
- Compatible with Models S, C, T, D, B, and H\*

### S52

- 52" (132 cm)
- Belt Drive
- Compatible with Models C, T, D, B, and H\*

### S54-R

- 54" (137 cm)
- Belt Drive
- Compatible with Model R only

### S56

- 56" (142 cm)
- Gear Drive
- Compatible with Models S, C, T, D, B, and H\*

### S60

- 60" (153 cm)
- Belt Drive
- Compatible with Models C, T, D, B, and H\*

### S61

- 61" (155 cm)
- Belt Drive
- Compatible with Model H only

### S74

- 74" (188 cm)
- Gear Drive
- Compatible with Models T, D, B, and H\*


\*Model H requires a Deck Arm Adapter Kit P/N 2430-10 for this deck.

## Gear vs Belt Drive Decks

### Gear Drive:

Smooth, exceptional cut quality

**S48 Gear Drive Deck**  
(top view, cover removed)



### Belt Drive:

Flexible mowing, even in rough conditions

**S48 Belt Drive Deck**  
(top view, cover removed)



## Rear Discharge Decks

Designed specifically for Model H mowers with high production and fast mowing speeds, Walker rear discharge decks process clippings numerous times before cleanly and evenly discharging clippings out the back of the deck, leaving an evenly cut turf.

### Gear vs Belt Drive

**Walker gear-driven decks** utilize aluminum or cast iron gearboxes with Zerol bevel gear technology for durable and quiet function. The timed blades provide

exceptional cut quality and striping, and allow a compact design for improved trimming and maneuverability.

### Walker belt-driven decks


use a robust spindle and belt-tensioning idler design, and are best suited for rougher mowing conditions with debris or ground contact occurring. Walker belt-driven decks feature tool-free belt change and easy-to-maintain spindles and components.

### R52

- 52" (132 cm)
- Belt Drive
- Compatible with Model H only

### R64

- 64" (163 cm)
- Belt Drive
- Compatible with Model H only



**64" Rear Discharge Deck tilted up**


# Walker Decks: Multi-Deck and Add-ons

## Multi-Deck

One deck, multiple uses



Collection configuration



Side Discharge configuration

## Multi-Deck

Designed for customers who need to collect and side discharge throughout the season, the Walker Multi-Deck is a cost effective way to have two mowing styles in a single deck. This quiet, belt-driven deck uses a torsion-flex carrier to freely articulate and follow ground contour for a beautiful cut. And, like other Walker decks, the underside and blades are accessible with the tilt-up function for easy transition between configurations and maintenance.

### U48

- 48" (122 cm)
- Belt Drive
- Compatible with Models S18, C, T, and D

The Walker Multi-Deck shown on a Model C23i in a collection configuration.



## Deck Add-ons

### Dethatcher



### Spyker® Spreader Attachment



### Pneumatic Deck Tire



Deck Cuff

## Deck Add-ons<sup>1</sup>

### Dethatcher Attachment

- Clips on the front of 42", 48", or 52" gear driven decks
- When used with GHS, lawn thatch and debris are removed in one pass
- Gauge wheels and hinged frame allow the dethatcher to closely follow terrain
- P/N A10

### Pneumatic Deck Tires

- For use on gear drive decks (36"-56")
- Tire and inner tube only (P/N 5715-15)
- Tire, inner tube, and wheel assembly P/N 5715-24

### Deck Height Adjuster

- The mechanical Deck Height Adjuster can install onto some Walker mowing decks.
- It offers cutting height adjustments in 1/4" increments, using a single hand lever within reach of the operator seat.
- C36R, S36, M36: P/N A22
- C42, S42, M42<sup>2</sup>: P/N A23/A53
- C48, S48, M42B, M48<sup>2</sup>: P/N A24/ A54
- C48R, C52R<sup>2</sup>: P/N A25/ A54
- S52<sup>2</sup>: P/N A26
- S62<sup>2</sup>: P/N A27
- S56: P/N A28
- C42R: P/N A29

### Adjustable Footrests

- These Adjustable Footrests clamp onto the carrier frame.
- They increase comfort for operators with shorter legs.
- 36", 42": P/N 8662-10
- 74": P/N 8662-9

### Spyker® Spreader with Mount

- The Spyker® Spreader Attachment combines a Spyker® S80-12010 Pro-Series Spreader with the Walker Mower. No tools are needed to secure the spreader to the carrier frame of the Walker 42", 48", or 52" gear-driven decks.
- P/N A55

### Deck Cuff Kit

- The Deck Cuff acts as a channel to direct grass at the edge of the deck into the blade cutting path.
- C36R: P/N 7704-2
- C48R: P/N 7704-4
- C52R: P/N 7704-5

### Curb Jumper

- This 36" (91 cm) wide ramp allows Walker Mowers to back over a standard curb.
- The ramp stows on the mowing deck carrier frame.
- Standard decks except 48" and 52", prior to deck S/N 220949\*: P/N 5597
- Decks with Deck Height Adjuster (A22-A29 only): P/N 5597-1

<sup>1</sup> Visit [walker.com](http://walker.com) for deck add-on compatibility. <sup>2</sup> See dealer for details.

# Walker Decks: Deck Add-ons

## Deck Add-ons



**Accelerator®  
Grass Catcher Kit**

**Boom Sprayer  
Attachment**



### Power Tilt-Up®

- For the Model H
- Tilt-up action uses a 12-volt electric linear-actuator easily mounted to any Model H mower equipped with an S61, R52, or R64 deck with adjustable footrests.
- The use of a tail weight is suggested when using this option (see page 48).
- H27i, H38i: P/N A35
- H24d: P/N A36

### Accelerator®

#### Grass Catcher Kit

- 3.2 Bushel catcher clips on side discharge opening of S42-R, S48-R, S54-R (Model R21), and the S48-3 deck.

- Includes counter-balancing weight for even mowing as catcher fills.
- Durable, lightweight welded aluminum housing
- Kit P/N A40 (42" deck)
- Kit P/N A41 (48" decks)
- Kit P/N A42 (54" decks)

#### Boom Sprayer Attachment

- Easily mounts to most 42", 48", and 52" Walker decks\*
- Boom delivers a 96" (244 cm) spray pattern and a spray gun with a 20-foot

(6 meter) hose allows the operator to leave the mower and apply liquid material to all landscape features.

- The 25-gallon (95 liter) tank allows easy cleaning of the tank and spray system.
- P/N A57

#### Breakaway Blades


- Breakaway Blades lessen the impact and shock loading on the deck drivetrain and reduce blade damage.

- S56: **P/N 5705-32**
- S42: **P/N 5705-33**
- S74: **P/N 5705-34**
- S48: **P/N 7705-8**

#### Dense-Pak Blade Set

- Reduce size of clippings for a more densely loaded catcher when using the Grass Handling System® (GHS); allowing for longer mowing times before needing to dump the catcher. **P/N 7705-60**

Learn more about the passion and philosophy behind the design of Walker decks: [walker.com/advantage/beautiful-cut/by-design](http://walker.com/advantage/beautiful-cut/by-design)



## Deck/Kit Compatibility

Decks/Kits	Models						
	S	C	T	D	R	B	H
<b>Collection</b>							
C36R	●	★	●	●			
C42/R	●	●	●	●			
C48		●	●	●			
C48R	●	●	●	●			
C52R		⬢	●	●			
<b>Discharge</b>							
S36	●	★	●	●		●	
S42	●	●	●	●		●	
S42-R					●		
S48-R					●		
S48	●	●	●	●		●	▲
S52		●	●	●		●	▲
R52							●
S54-R					●		
S56	●	●	●	●		●	▲
S60		●	●	●		●	▲
S61							●
R64							●
S74		X	●	●		●	▲
<b>Mulching</b>							
M36	●	★	●	●		●	
M42	●	●	●	●		●	
M42B	●	●	●	●		●	
S42-R Kit					●		
S48-R Kit					●		
M48	●	●	●	●		●	▲
M52		X	●	●		●	▲
S52 Kit		●	●	●		●	▲
S60 Kit		●	●	●		●	▲
S61 Kit							●
<b>Multi-Deck</b>							
U48	●	●	●	●			

● Compatible. ⬢ Model C19i and C23i only. ▲ Requires Deck Arm Adapter Kit P/N 2430-10. ★ C19 and C19i only. X C23i only.

Collection



Discharge



Mulching



Multi-Deck

